

**DU-18\***
**COMPRESSORS**

Item No.	See Figure	Description	ID	Part Number	Voltage		
					208/230	460	575
		Compressor, H20R943DBLA		S1-015-03412-004	2	-	-
		Compressor, H20R943DBEA		S1-015-03416-004	-	2	-
		Compressor, H20R943DBFA		S1-015-03417-004	-	-	2

**CONDENSER FAN**

		Roof, Condenser, Rear		S1-063-93751-000	1	1	1
		Roof, Condenser, Front		S1-063-93750-000	1	1	1
		Support, Motor		S1-026-37389-000	2	2	2
		Guard, Fan		S1-026-25549-000	2	2	2
		Orifice, Fan		S1-063-94820-000	2	2	2
		Clamp, Motor		S1-026-25568-000	4	4	4
		Fan, Prop, 30" Dia., 3 Bl, 18 Deg.		S1-026-25553-000	2	2	2
		Motor, Fan, 1.25 HP, 11.40 RPM, 4.5/4.3 FLA		S1-024-32068-001	2	-	-
		Motor, Fan, 1.25 HP, 11.40/949 RPM, 2.15/2.1 FLA		S1-024-32068-002	-	2	-
		Motor, Fan, 1.25 HP, 11.40 RPM, 1.7 FLA		S1-024-32068-003	-	-	2
		Harness, Motor		S1-025-38602-000	1	1	1
		Harness, Motor		S1-025-38603-000	1	1	1

**BLOWER**
**STANDARD**

		Motor, Blower, 7.5 HP, 230/460V, 213T, 1750 RPM Nom.		S1-024-27525-000	1	1	-
		Motor, Blower, 7.5 HP, 575V, 213T, 1800 RPM Nom.		S1-024-27617-000	-	-	1
		Sheave, Fixed, 1 Groove, 1.188" Bore		S1-028-10577-700	1	1	1
		Sheave, Variable, 1 Groove, 1.375" Bore		S1-028-12010-700	1	1	1
		Belt, V, B X 83, 84.8		S1-028-12080-700	1	1	1

**HI-STATIC**

		Motor, Blower, 7.5 HP, 230/460V, 213T, 1750 RPM Nom.		S1-024-27525-000	1	1	-
		Motor, Blower, 7.5 HP, 575V, 213T, 1750 RPM Nom.		S1-024-27617-000	-	-	1
		Sheave, Fixed, 1 Groove, 1.188" Bore		S1-028-12012-700	1	1	1
		Sheave, Variable, 1 Groove, 1.375" Bore		S1-028-12010-700	1	1	1
		Belt, V, B X 81, 82.8		S1-028-12017-700	1	1	1

**COMMON PARTS-STANDARD & HI-STATIC INDOOR BLOWER**

Item No.	See Figure	Description	ID	Part Number	Voltage		
					208/230	460	575
		Contactora, Elec., 3 Pole, 24V, 30 Amp., 50/60 Hz		S1-024-25955-000	1	1	1
		Wheel, Blower, 18" Dia., 15" Wd., 1.19" Bore		S1-026-25529-703	1	1	1
		Fuseholder, 3 Pole, #20, 250V, 60 Amp.		S1-025-18283-000	1	-	-
		Fuseholder, 3 Pole, #23, 600V, 30 Amp.		S1-025-18284-000	-	1	1
		Fuse, Dual, 250V, 35 Amp., 13 x 16 x 3		S1-025-15491-000	3	-	-
		Fuse, Dual, 600V, 15 Amp., 13 x 16 x 5		S1-025-05741-000	-	3	
		Fuse, Dual, 600V, 12 Amp., 13 x 16 x 5		S1-025-06079-000	-	-	3
		Relay, Overload, 16.0-25.0 FLA		S1-024-27552-004	1	-	-
		Relay, Overload, 8.0-13.0 FLA		S1-024-27552-002	-	1	-
		Relay, Overload, 5.0-8.0 FLA		S1-024-27552-001	-	-	1
		Key, Stl., 1/4" Sq. x 2.000" Lg.		S1-001-07110-005	1	1	1
		Key, Stl., 1/4" Sq. x 6.375" Lg.		S1-001-07110-004	1	1	1
		Scroll, 18" Blower		S1-063-94675-000	1	1	1
		Plate, Bottom, 18" Blower		S1-073-21323-000	1	1	1
		Plate, Top, 18" Blower		S1-073-21322-000	1	1	1
		Shaft, Blower, 18" Wheel		S1-001-07116-000	1	1	1
		Bearing, Ball, 4 Bolt Flg.		S1-029-22145-000	2	2	2
		Bracket, Bearing		S1-026-35494-000	2	2	2
		Bracket, Tensioner		S1-063-94940-000	1	1	1
		Bracket, Channel		S1-073-03071-000	1	1	1
		Support, Motor		S1-063-94674-000	1	1	1
		Support, Motor (Mounting Plate)		S1-073-01954-000	1	1	1

**BOX, ELECTRIC**

**COOLING ONLY**

		Contactora, Elec., 3 Pole, 24V, 50 Amp.	M1, 2	S1-024-25846-700	2	-	-
		Contactora, Elec., 3 Pole, 24V, 30 Amp., 50/60 Hz	M1, 2	S1-024-25955-000	-	2	2
		Control, Simplicity, Lockout		S1-331-01934-002	1	1	1
		Terminal Block, 3 Pole, 600V, 175 Amp., 150 Deg.	TB1	S1-025-20710-000	1	1	1
		Terminal Block, 3 Pole, 250V, 20 Amp., 150 Deg.	TB4	S1-025-27755-000	1	1	1
		Transformer, 150VA, 208/230-24V	T1	S1-025-37378-000	1	-	-
		Transformer, 150VA, 460/575-24V	T1	S1-025-37378-002	-	1	1
		Transformer, .075KVA, 208/230-24V, 50/60 Hz	T2	S1-025-25973-700	1	-	-
		Transformer, .075KVA, 460PRI-24V, 50/60 Hz	T2	S1-025-25974-700	-	1	-
		Transformer, 575V/24V, 75 Amp., 50/60 Hz	T2	S1-025-27729-700	-	-	1

**COOLING ONLY (CONTINUED)**

Item No.	See Figure	Description	ID	Part Number	Voltage		
					208/230	460	575
		Circuit Breaker, 1 Pole, 3.2 Amp., 250V	CB2	S1-024-34532-000	1	1	-
		Circuit Breaker, 1 Pole, 6 Amp., 250V	CB1	S1-024-27583-000	1	1	1
		Control, Temperature, SPST, Open 40/Close 30, Auto Reset	LAS3	S1-025-35355-001	1	1	1
		Fuseholder, #1, 30 Amp., 600V Max., 1 Pole		S1-025-17407-000	2	2	2
		Fuse, Dual, #1, 1.5 Amp., 600V, Time Delay, CC	FU16, 17	S1-025-27750-000	2	2	2
		Lug, Electrical, 14-1/0 W		S1-025-19282-000	1	1	1

**GAS HEAT**

		Contactors, Elec., 3 Pole, 24V, 50 Amp.	M1, 2	S1-024-25846-700	2	-	-
		Contactors, Elec., 3 Pole, 24V, 30 Amp., 50/60 Hz	M1, 2	S1-024-25955-000	-	2	2
		Control, Simplicity, Lockout		S1-331-01934-002	1	1	1
		Terminal Block, 3 Pole, 600V, 175 Amp., 150 Deg.	TB1	S1-025-20710-000	1	1	1
		Terminal Block, 3 Pole, 250V, 20 Amp., 150 Deg.	TB4	S1-025-27755-000	1	1	1
		Transformer, 150VA, 208/230-24V	T1	S1-025-37378-000	1	-	-
		Transformer, 150VA, 460/575-24V	T1	S1-025-37378-002	-	1	1
		Transformer, .075KVA, 208/203-24V, 50/60 Hz	T2	S1-025-25973-700	1	-	-
		Transformer, .075KVA, 460PRI-24V, 50/60 Hz	T2	S1-025-25974-700	-	1	-
		Transformer, 575V/24V, 75 Amp., 50/60 Hz	T2	S1-025-27729-700	-	-	1
		Transformer, .15KVA, 240/480V	T4	S1-025-17636-700	-	-	1
		Circuit Breaker, 1 Pole, 3.2 Amp., 250V	CB2	S1-024-34532-000	1	1	1
		Circuit Breaker, 1 Pole, 6 Amp., 250V	CB1	S1-024-27583-000	1	1	1
		Control, Temperature, SPST, Open 40/Close 30, Auto Reset	LAS3	S1-025-35355-001	1	1	1
		Fuseholder, #1, 30 Amp., 600V Max., 1 Pole		S1-025-17407-000	2	2	2
		Fuse, Dual, #1, 1.5 Amp., 600V, Time Delay, CC	FU16, 17	S1-025-27750-000	2	2	2
		Relay, Control, DPDT, 24V, 50/60 Hz	DMR	S1-024-23972-000	1	1	1
		Relay, Control, DPST, 24V, 50/60 Hz	RW1	S1-024-24111-000	1	1	1
		Relay, Control, SPDT, 24V, 50/60 Hz	RW2	S1-024-21678-700	1	1	1
		Relay, Time Delay, 18-30V, 50/60 Hz, 0-On/25-Off	DMC	S1-024-26089-000	1	1	1
		Lug, Electrical, 14-1/0 W		S1-025-19282-000	1	1	1

**ELECTRIC HEAT**

**E18**

Item No.	See Figure	Description	ID	Part Number	Voltage		
					208/230	460	575
		Contactora, Elec., 3 Pole, 24V, 50 Amp.	M1, 2	S1-024-25846-700	2	-	-
		Contactora, Elec., 3 Pole, 24V, 30 Amp., 50/60 Hz	M1, 2	S1-024-25955-000	-	2	2
		Control, Simplicity, Lockout		S1-331-01934-002	1	1	1
		Terminal Block, 3 Pole, 600V, 175 Amp., 150 Deg.	TB1	S1-025-20710-000	1	1	1
		Terminal Block, 3 Pole, 250V, 20 Amp., 150 Deg.	TB4	S1-025-27755-000	1	1	1
		Transformer, 150VA, 208/230-24V	T1	S1-025-37378-000	1	-	-
		Transformer, .075KVA, 460PRI-24V, 50/60 Hz	T1	S1-025-25974-700	-	1	-
		Transformer, 150VA, 460/575-24V	T1	S1-025-37378-002	-	-	1
		Transformer, 575V/24V, 75 Amp., 50/60 Hz	T1	S1-025-27729-700	-	-	1
		Circuit Breaker, 1 Pole, 3.2 Amp., 250V	CB2	S1-024-34532-000	1	1	1
		Circuit Breaker, 1 Pole, 6 Amp., 250V	CB1	S1-024-27583-000	1	1	1
		Control, Temperature, SPST, Open 40/Close 30, Auto Reset	LAS3	S1-025-35355-001	1	1	1
		Fuseholder, #1, 30 Amp., 600V Max., 1 Pole		S1-025-17407-000	2	2	2
		Fuse, Dual, #1, 1.5 Amp., 600V, Time Delay, CC	FU16, 17	S1-025-27750-000	2	2	2
		Fuseholder, 3 Pole, #20, 250V, 60 Amp.		S1-025-18283-000	1	-	-
		Fuseholder, 3 Pole, #23, 600V, 30 Amp.		S1-025-18284-000	-	1	1
		Fuse, Dual, 250V, 60 Amp., 13 x 16 x 3	FU1, 3	S1-025-13292-000	3	-	-
		Fuse, Dual, 600V, 30 Amp., 13 x 16 x 5	FU1, 3	S1-025-04650-000	-	3	3
		Relay, Control, SPST, 24V, 50/60 Hz	HR	S1-024-24103-000	1	1	1
		Relay, Control, SPST, 24V, 50/60 Hz	RW1, 2	S1-024-24103-000	2	2	2
		Lug, Electrical, 14-1/0 W		S1-025-19282-000	1	1	1

**E36**

		Contactora, Elec., 3 Pole, 24V, 50 Amp.	M1, 2	S1-024-25846-700	2	-	-
		Contactora, Elec., 3 Pole, 24V, 30 Amp., 50/60 Hz	M1, 2	S1-024-25955-000	-	2	2
		Control, Simplicity, Lockout		S1-331-01934-002	1	1	1
		Terminal Block, 3 Pole, 600V, 175 Amp., 150 Deg.	TB1	S1-025-20710-000	1	1	1
		Terminal Block, 3 Pole, 250V, 20 Amp., 150 Deg.	TB4	S1-025-27755-000	1	1	1

E36 (CONTINUED)

Item No.	See Figure	Description	ID	Part Number	Voltage		
					208/230	460	575
		Transformer, 150VA, 208/230-24V	T1	S1-025-37378-000	1	-	-
		Transformer, 150VA, 460/575-24V	T1	S1-025-37378-002	-	1	1
		Transformer, .075KVA, 208/230-24V, 50/60 Hz	T2	S1-025-25973-700	1	-	-
		Transformer, .075KVA, 460PRI-24V, 50/60 Hz	T2	S1-025-25974-700	-	1	-
		Transformer, 575V/24V, 75 Amp., 50/60 Hz	T2	S1-025-27729-700	-	-	1
		Circuit Breaker, 1 Pole, 3.2 Amp., 250V	CB2	S1-024-34532-000	1	1	-
		Circuit Breaker, 1 Pole, 6 Amp., 250V	CB1	S1-024-27583-000	1	1	1
		Control, Temperature, SPST, Open 40/Close 30, Auto Reset	LAS3	S1-025-35355-001	1	1	1
		Fuseholder, #1, 30 Amp., 600V Max., 1 Pole		S1-025-17407-000	2	2	2
		Fuse, Dual, #1, 1.5 Amp., 600V, Time Delay, CC	FU16, 17	S1-025-27750-000	2	2	2
		Fuseholder, 3 Pole, #20, 250V, 60 Amp.		S1-025-18283-000	2	-	-
		Fuseholder, 3 Pole, #24, 600V, 60 Amp.		S1-025-18285-000	-	1	1
		Fuse, Dual, 250V, 60 Amp., 13 x 16 x 3	FU1-6	S1-025-13292-000	6	-	3
		Fuse, Dual, 600V, 60 Amp., 1 1/6 X	FU1-3	S1-025-17392-000	-	3	-
		Relay, Control, SPST, 24V, 50/60 Hz	HR	S1-024-24103-000	1	1	1
		Relay, Control, SPST, 24V, 50/60 Hz	RW1, 2	S1-024-24103-000	2	2	2
		Lug, Electrical, 14-1/0 W		S1-025-19282-000	1	1	1

E54

		Contactors, Elec., 3 Pole, 24V, 50 Amp.	M1, 2	S1-024-25846-700	2	-	-
		Contactors, Elec., 3 Pole, 24V, 30 Amp., 50/60 Hz	M1, 2	S1-024-25955-000	-	2	2
		Control, Simplicity, Lockout		S1-331-01934-002	1	1	1
		Terminal Block, 3 Pole, 600V, 175 Amp., 150 Deg.	TB1	S1-025-20710-000	1	1	1
		Terminal Block, 3 Pole, 250V, 20 Amp., 150 Deg.	TB4	S1-025-27755-000	1	1	1
		Transformer, 150VA, 208/230-24V	T1	S1-025-37378-000	1	-	-
		Transformer, 150VA, 460/575-24V	T1	S1-025-37378-002	-	1	1
		Transformer, .075KVA, 208/230-24V, 50/60 Hz	T2	S1-025-25973-700	1	-	-
		Transformer, .075KVA, 460PRI-24V, 50/60 Hz	T2	S1-025-25974-700	-	1	-

E54 (CONTINUED)

Item No.	See Figure	Description	ID	Part Number	Voltage		
					208/230	460	575
		Transformer, 575V/24V, 75 Amp., 50/60 Hz	T2	S1-025-27729-700	-	-	1
		Circuit Breaker, 1 Pole, 3.2 Amp., 250V	CB2	S1-024-34532-000	1	1	1
		Circuit Breaker, 1 Pole, 6 Amp., 250V	CB1	S1-024-27583-000	1	1	1
		Control, Temperature, SPST, Open 40/Close 30, Auto Reset	LAS3	S1-025-35355-001	1	1	1
		Fuseholder, #1, 30 Amp., 600V Max., 1 Pole		S1-025-17407-000	2	2	2
		Fuse, Dual, #1, 1.5 Amp., 600V, Time Delay, CC	FU16, 17	S1-025-27750-000	2	2	2
		Fuseholder, 3 Pole, #20, 250V, 60 Amp.		S1-025-18283-000	3	-	-
		Fuse, Dual, 250V, 60 Amp., 13 x 16 x 3	FU1-9	S1-025-13292-000	9	-	-
		Fuseholder, 3 Pole, #23, 600V, 30 Amp.		S1-025-18284-000	-	1	1
		Fuse, Dual, 600V, 30 Amp., 13 x 16 x 5	FU1-3	S1-025-04650-000	-	3	3
		Relay, Control, SPST, 24V, 50/60 Hz	HR	S1-024-24103-000	1	1	1
		Relay, Control, SPST, 24V, 50/60 Hz	RW1-2	S1-024-24103-000	2	2	2
		Lug, Electrical, 14-1/0 W		S1-025-19282-000	1	1	1
		Fuseholder, 3 Pole, #24, 600V, 60 Amp.		S1-025-18285-000	-	1	1
		Fuse, Dual, 600V, 60 Amp., 1 1/6 X	FU4-6	S1-025-17392-000	-	3	3

E72

		Contactors, Elec., 3 Pole, 24V, 50 Amp.	M1, 2	S1-024-25846-700	2	-	-
		Contactors, Elec., 3 Pole, 24V, 30 Amp., 50/60 Hz	M1, 2	S1-024-25955-000	-	2	2
		Control, Simplicity, Lockout		S1-331-01934-002	1	1	1
		Terminal Block, 3 Pole, 600V, 335 Amp.	TB1	S1-025-20573-000	1	-	-
		Terminal Block, 3 Pole, 600V, 175 Amp., 150 Deg.	TB1	S1-025-20710-000	-	1	1
		Terminal Block, 3 Pole, 250V, 20 Amp., 150 Deg.	TB4	S1-025-27755-000	1	1	1
		Transformer, 150VA, 208/230-24V	T1	S1-025-37378-000	1	1	-
		Transformer, 150VA, 460/575-24V	T1	S1-025-37378-002	-	-	1
		Transformer, .075KVA, 208/230-24V, 50/60 Hz	T2	S1-025-25973-700	1	-	-
		Transformer, .075KVA, 460PRI-24V, 50/60 Hz	T2	S1-025-25974-700	-	1	-
		Transformer, 575V/24V, 75 Amp., 50/60 Hz	T2	S1-025-27729-700	-	-	1

E72 (CONTINUED)

Item No.	See Figure	Description	ID	Part Number	Voltage		
					208/230	460	575
		Circuit Breaker, 1 Pole, 3.2 Amp., 250V	CB2	S1-024-34532-000	1	1	1
		Circuit Breaker, 1 Pole, 6 Amp., 250V	CB1	S1-024-27583-000	1	1	1
		Control, Temperature, SPST, Open 40/Close 30, Auto Reset	LAS3	S1-025-35355-001	1	1	1
		Fuseholder, #1, 30 Amp., 600V Max., 1 Pole		S1-025-17407-000	2	2	2
		Fuse, Dual, #1, 1.5 Amp., 600V, Time Delay, CC	FU16, 17	S1-025-27750-000	2	2	2
		Fuseholder, 3 Pole, #20, 250V, 60 Amp.		S1-025-18283-000	4	-	-
		Fuseholder, 3 Pole, #24, 600V, 60 Amp.		S1-025-18285-000	-	2	2
		Fuse, Dual, 250V, 60 Amp., 13 x 16 x 3	FU1-6, 10-15	S1-025-13292-000	12	-	-
		Fuse, Dual, 600V, 60 Amp., 1 1/6 X	FU1-3	S1-025-17392-000	-	8	6
		Relay, Control, SPST, 24V, 50/60 Hz	HR	S1-024-24103-000	3	1	1
		Relay, Control, SPST, 24V, 50/60 Hz	RW1, 2	S1-024-24103-000	2	2	2
		Lug, Electrical, 14-1/0 W		S1-025-19282-000	1	1	1

EVAPORATOR COIL

		Coil, Evaporator, 4 R X 45 X 64.25 X 14 F		S1-373-25953-001	1	1	1
		Coil, Evaporator, Technicoated		<b>S1-373-25953-200</b>	1	1	1
		Distributor Assy., 15 30" Tubes		S1-022-08961-002	2	2	2
		Valve, Thermal Expansion, 10T Nom. Cap.		S1-022-06852-001	2	2	2
		Header, Evaporator, System 1		S1-373-25953-050	1	1	1
		Header, Evaporator, System 2		S1-373-25953-060	1	1	1

CONDENSER COIL

REAR

		Coil, Condenser, Rear		S1-373-21390-101	1	1	1
		Coil, Condenser, Rear, Technicoated		S1-373-21390-200	1	1	1
		Distributor, Refrigerant		S1-026-23209-000	1	1	1
		Header, Condenser, Discharge		S1-373-21390-050	1	1	1
		Header, Condenser, Int.		S1-373-21390-060	1	1	1

FRONT

		Coil, Condenser, Front		S1-373-21391-101	1	1	1
		Coil, Condenser, Front, Technicoated		<b>S1-373-21931-150</b>	1	1	1
		Distributor, Refrigerant		S1-026-23209-000	1	1	1
		Header, Condenser, Suction		S1-373-21391-050	1	1	1
		Header, Condenser, Int.		S1-373-21391-060	1	1	1

**PIPING COMPONENTS**

Item No.	See Figure	Description	ID	Part Number	Voltage		
					208/230	460	575
		Switch, Low Pressure, Open 22/Close 45		106967	2	2	2
		Control, Pressure, Open 380/Close 300		S1-025-17620-014	2	2	2
		Control, Temperature, SPST, Open 26/Close 41, Surface		S1-025-27727-002	2	2	2
		Filter/Drier, Liquid Line		S1-026-25596-001	2	2	2
		Tube, Equalizer		S1-073-01849-000	2	2	2
		Core, V Port/Schraeder		S1-022-02475-700	4	4	4

**GAS HEAT COMPONENTS**

**N24-ALUMINIZED STEEL**

		Heat Exchanger, 6 Tube		S1-363-93846-701	1	1	1
		Baffle, Heat Exchanger (1 per Tube)		S1-063-90071-000	6	6	6
		Tube, Carryover		S1-029-20404-000	2	2	2
		Burner, Gas (1 per Burner)		S1-029-18431-000	6	6	6
		Orifice, Gas, Burner, #30 (1 per Burner)		S1-029-20423-030	6	6	6
		Orifice, Gas, Pilot, #65		S1-029-20422-065	2	2	2
		Plate, Orifice, 2.187" Dia		S1-063-90038-014	1	1	1
		Plate, Orifice, 2.375" Dia		S1-063-90038-010	1	1	1

**N32-ALUMINIZED STEEL**

		Heat Exchanger, 8 Tube		S1-363-93846-702	1	1	1
		Baffle, Heat Exchanger (1 per Tube)		S1-063-90071-000	8	8	8
		Tube, Carryover		S1-029-20099-000	2	2	2
		Burner, Gas (1 per Burner)		S1-029-18431-000	8	8	8
		Orifice, Gas, Burner, #30 (1 per Burner)		S1-029-20423-030	8	8	8
		Orifice, Gas, Pilot, #58		S1-029-20422-058	2	2	2
		Plate, Orifice, 2.562" Dia		S1-063-90038-008	1	1	1
		Plate, Orifice, 2.437" Dia		S1-063-90038-032	1	1	1

**COMMON PARTS-ALUMINIZED STEEL-N24 & N32**

		Support, Burner		S1-063-93848-000	1	1	1
		Support, Manifold		S1-063-94670-000	2	2	2
		Support, Manifold, RH		S1-063-93861-000	1	1	1
		Support, Manifold, LH		S1-063-93862-000	1	1	1
		Valve, Gas		S1-025-27720-700	2	2	2
		Manifold, Gas		S1-029-20081-000	2	2	2
		Sensor, Flame, w/Term, Lead Length = 30"		S1-025-38950-000	2	2	2
		Ignitor, Spark, w/o Term, Lead Length = 32"		S1-025-38951-000	1	1	1
		Baffle, Gas		S1-073-01896-000	1	1	1
		Ignitor, Spark		S1-025-39887-000	1	1	1
		Evase, Front		S1-363-94871-020	1	1	1
		Plate, Bottom, Evase		S1-363-94871-100	1	1	1

**COMMON PARTS-ALUMINIZED STEEL-N24 & N32 (CONTINUED)**

Item No.	See Figure	Description	ID	Part Number	Voltage		
					208/230	460	575
		Plate, Top, Evase		S1-063-93849-000	1	1	1
		Panel, Middle, Flue Box		S1-063-93866-700	1	1	1
		Plate, Front, Flue Box		S1-063-93865-700	1	1	1
		Plate, Top, Flue Box		S1-063-93867-700	1	1	1
		Plate, Vent		S1-073-03210-000	1	1	1
		Housing, Ventor		S1-063-90041-000	2	2	2
		Wheel, Blower, 4" Dia., 2 Wd., .375" Bore		S1-026-32626-700	1	1	1
		Spacer, Vent Motor		S1-073-03169-000	4	4	4
		Motor, Ventor, .10 HP, 208/230V, 3400 Rpm, CW EOS		S1-024-25005-701	1	-	-
		Motor, Ventor, .10 HP, 380/415, 460V, 3400 Rpm, CW		S1-024-25005-004	-	1	1
		Wheel, Blower, 4" Dia., 2 Wd., .375" Bore		S1-026-32625-700	1	1	1
		Plate, Vent		S1-073-03170-000	1	1	1
		Baffle, Air, Gas Heat		S1-073-01880-000	1	1	1
		Control, Temperature, DPST, Open 175/Close 95, Auto Reset		S1-025-27733-002	1	1	1
		Control, Spark		S1-025-29012-004	2	2	2
		Bracket, Limit Switch		S1-073-18565-000	1	1	1
		Control, Temperature, SPST, Open 195/Close 130, Auto Reset		S1-025-26366-009	1	1	1
		Control, Temperature, Open 195, Manual Reset		S1-025-32655-000	1	1	1

**S24-STAINLESS STEEL**

		Heat Exchanger, 6 Tube, SS		S1-363-93846-011	1	1	1
		Tube, Carryover		S1-029-20404-000	2	2	2
		Burner, Gas (1 per Burner)		S1-029-18431-000	6	6	6
		Orifice, Gas, Burner, #30 (1 per Burner)		S1-029-20423-030	6	6	6
		Orifice, Gas, Pilot, #65		S1-029-20422-065	2	2	2
		Plate, Orifice, 2.187" Dia., SS		S1-026-38576-000	1	1	1
		Plate, Orifice, 2.375" Dia., SS		S1-026-38575-000	1	1	1

**S32-STAINLESS STEEL**

		Heat Exchanger, 8 Tube, SS		S1-363-93846-012	1	1	1
		Tube, Carryover		S1-029-20099-000	2	2	2
		Burner, Gas (1 per Burner)		S1-029-18431-000	8	8	8
		Orifice, Gas, Burner, #30 (1 per Burner)		S1-029-20423-030	8	8	8
		Orifice, Gas, Pilot, #58		S1-029-20422-058	2	2	2
		Plate, Orifice, 2.562" Dia., SS		S1-026-38574-000	1	1	1
		Plate, Orifice, 2.437" Dia., SS		S1-026-38577-000	1	1	1

**COMMON PARTS-STAINLESS STEEL-S24 & S32**

		Support, Burner		S1-063-93848-000	1	1	1
		Support, Manifold		S1-063-94670-000	2	2	2
		Support, Manifold, RH		S1-063-93861-000	1	1	1
		Support, Manifold, LH		S1-063-93862-000	1	1	1

**COMMON PARTS-STAINLESS STEEL-S24 & S32 (CONTINUED)**

Item No.	See Figure	Description	ID	Part Number	Voltage		
					208/230	460	575
		Valve, Gas		S1-025-27720-700	2	2	2
		Manifold, Gas		S1-029-20081-000	2	2	2
		Sensor, Flame, w/Term, Lead Length = 30"		S1-025-38950-000	2	2	2
		Ignitor, Spark, w/o Term, Lead Length = 32"		S1-025-38951-000	1	1	1
		Baffle, Gas		S1-073-01896-000	1	1	1
		Ignitor, Spark		S1-025-39887-000	1	1	1
		Evase, Front		S1-363-94871-020	1	1	1
		Plate, Bottom, Evase		S1-363-94871-100	1	1	1
		Plate, Vent, SS		S1-026-38582-000	1	1	1
		Ventor, Scroll, SS		S1-026-38578-000	2	2	2
		Wheel, Blower, 4" Dia., 2" Wd., .375" Bore		S1-026-32626-700	1	1	1
		Spacer, Ventor Motor		S1-073-03169-000	4	4	4
		Motor, Ventor, .10 HP, 208/230V, 3400 Rpm, CW EOS		S1-024-25005-701	1	-	-
		Motor, Ventor, .10 HP, 380/415, 460V, 3400 Rpm, CW		S1-024-25005-004	-	1	1
		Wheel, Blower, 4" Dia., 2" Wd., .375" Bore		S1-026-32625-700	1	1	1
		Plate, Vent, SS		S1-026-38581-000	1	1	1
		Baffle, Air, Gas Heat		S1-073-01880-000	1	1	1
		Control, Temperature, DPST, Open 175/Close 95, Auto Reset		S1-025-27733-002	1	1	1
		Control, Spark		S1-025-29012-004	2	2	2
		Bracket, Limit Switch		S1-073-18565-000	1	1	1
		Control, Temperature, SPST, Open 195/Close 130, Auto Reset		S1-025-26366-009	1	1	1
		Control, Temperature, Open 195, Manual Reset		S1-025-32655-000	1	1	1

**ELECTRIC HEAT COMPONENTS**

**E18**

		Heater, Electric, 18.0 kW, 240V		S1-025-27709-001	1	-	-
		Heater, Electric, 18.0 kW, 480V		S1-025-27709-702	-	1	-
		Heater, Electric, 18.0 kW, 600V		S1-025-27709-003	-	-	1
		Contactora, Elec., 3 Pole, 40 Amp., 24V, 50/60 Hz		S1-024-25844-700	1	-	-
		Contactora, Elec., 3 Pole, 30 Amp., 24V, 50/60 Hz		S1-024-25955-000	-	1	1
		Switch, Limit, 100/140, 60 TX		S1-025-26392-007	1	-	-
		Switch, Limit, 100/120, 60 TX		S1-025-26392-704	-	1	1

**E36**

		Heater, Electric, 36.0 kW, 240V		S1-025-27709-004	1	-	-
		Heater, Electric, 36.0 kW, 480V		S1-025-27709-705	-	1	-
		Heater, Electric, 36.0 kW, 600V		S1-025-27709-006	-	-	1
		Contactora, Elec., 3 Pole, 40 Amp., 24V, 50/60 Hz		S1-024-25844-700	2	-	-

**E36 (CONTINUED)**

Item No.	See Figure	Description	ID	Part Number	Voltage		
					208/230	460	575
		Contactora, Elec., 3 Pole, 30 Amp., 24V, 50/60 Hz		S1-024-25955-000	-	2	2
		Switch, Limit, 100/140, 60 TX		S1-025-26392-007	2	-	-
		Switch, Limit, 100/120, 60 TX		S1-025-26392-704	-	2	2

**E54**

		Heater, Electric, 54.0 kW, 240V		S1-025-27709-007	1	-	-
		Heater, Electric, 50.0 kW, 480V		S1-025-27709-008	-	1	-
		Heater, Electric, 54.0 kW, 600V		S1-025-27709-009	-	-	1
		Contactora, Elec., 3 Pole, 40 Amp., 24V, 50/60 Hz		S1-024-25844-700	3	1	1
		Contactora, Elec., 3 Pole, 30 Amp., 24V, 50/60 Hz		S1-024-25955-000	-	1	1
		Switch, Limit, 100/140, 60 TX		S1-025-26392-007	2	-	-
		Switch, Limit, 100/120, 60 TX		S1-025-26392-704	2	2	2

**E72**

		Heater, Electric, 72.0 kW, 240V		S1-025-27709-010	1	-	-
		Heater, Electric, 72.0 kW, 480V		S1-025-27709-711	-	1	-
		Heater, Electric, 72.0 kW, 600V		S1-025-27709-012	-	-	1
		Contactora, Elec., 3 Pole, 40 Amp., 24V, 50/60 Hz		S1-024-25844-700	4	2	2
		Switch, Limit, 100/140, 60 TX		S1-025-26392-007	2	-	-
		Switch, Limit, 100/120, 60 TX		S1-025-26392-704	-	2	2

**FABRICATED PARTS**

**STANDARD CABINET COMPONENTS**

		Roof, Evaporator, LH		S1-373-11172-140	1	1	1
		Pan, Condensate		S1-373-05199-005	1	1	1
		Pan, Condensate, SST		S1-026-39485-002	1	1	1
		Panel, Access		S1-373-06317-210	1	1	1
		Cover, Duct		S1-373-06317-241	1	1	1
		Panel, Access		S1-373-06317-220	1	1	1
		Panel, Corner, Rear		S1-373-06317-200	1	1	1
		Panel, Access, Heat		S1-373-06317-190	1	1	1
		Panel, Access		S1-373-06317-181	1	1	1
		Panel, Access		S1-373-06317-170	1	1	1
		Roof, Heat Section		S1-373-06317-160	1	1	1
		Roof, Evaporator, RH		S1-373-06317-150	1	1	1
		Rack, Filter		S1-073-21722-000	3	3	3
		Bracket, Filter		S1-029-20094-000	1	1	1
		Bracket, Filter, LH		S1-073-21721-000	1	1	1
		Bracket, Filter, RH		S1-073-21720-000	1	1	1
		Rail, Top, Evaporator End		S1-063-94943-700	1	1	1
		Support, Door		S1-073-24699-000	1	1	1
		Rail, Top		S1-063-94942-700	2	2	2
		Rail, Base, Front		S1-063-94788-700	1	1	1
		Rail, Base, Condenser End		S1-073-10757-700	1	1	1
		Post, Frame, Outer		S1-073-25821-001	4	4	4

**STANDARD CABINET COMPONENTS (CONTINUED)**

Item No.	See Figure	Description	ID	Part Number	Voltage		
					208/230	460	575
		Post, Corner, Rear		<b>S1-063-93786-000</b>	1	1	1
		Rail, Base, Evaporator End		S1-073-10807-700	1	1	1
		Bracket, Corner		S1-073-03266-000	4	4	4
		Cap, Roof, Drip Edge		<b>125849*</b>	3	3	3
		Rail, Base, Rear		S1-063-94789-700	1	1	1
		Hinge, Door, Control Box		S1-029-22166-000	1	1	1
		Catch, Magnetic		S1-029-15650-000	2	2	2
		Panel, Access		S1-373-06317-210	1	1	1
		Panel, Access, Control		S1-063-93794-001	1	1	1
		Post, Frame		S1-073-10391-001	8	8	8
		Plate, Latch		S1-073-01920-000	6	6	6
		Plug, Seal, Black Plastic		S1-028-10474-000	2	2	2
		Panel, Compressor Access, Top		S1-073-19228-000	1	1	1
		Panel, Compressor Access		S1-073-19251-002	1	1	1

**HINGED/TOOLLESS ACCESS COMPONENTS**

		Post, Corner, Power Disconnect		S1-073-15997-006	1	1	1
		Post, Frame, Outer, Toolless		S1-073-25821-003	3	3	3
		Post, Frame, Outer, Hinged		<b>S1-073-25821-002</b>	1	1	1
		Panel, Corner, Front		<b>S1-373-06317-231</b>	1	1	1
		Assy, Hinged, Filter Panel		<b>155908*</b>	1	1	1
		Plate, Latch		S1-073-01920-000	11	11	11
		Knob, Tee Stud 25 x 20		S1-029-22127-000	12	12	12
		Plate, Latch		S1-073-01931-000	1	1	1

**COOLING ONLY**

		Panel, Front Evase		S1-073-01893-000	1	1	1
		Evaporator Partition		S1-363-94871-040	1	1	1
		Panel, Evase, Bottom		S1-363-94870-030	1	1	1
		Panel, Evase, Top		S1-363-94870-051	1	1	1
		Panel, Access, Heat Section		S1-373-06317-190	1	1	1
		Cover, Section, Cooling Only		S1-073-10909-000	1	1	1

**ELECTRIC HEAT ONLY**

		Panel, Front Evase		S1-073-01893-000	1	1	1
		Panel, Evase, Bottom		S1-363-94870-030	1	1	1
		Panel, Evase, Top		S1-363-94870-051	1	1	1
		Panel, Access, Heat Section		S1-373-06317-190	1	1	1
		Cover, Control, Electric Heat		<b>107298*</b>	1	1	1

**GAS HEAT ONLY**

	75328	Panel, Heat Access, Heat Trim		S1-073-16452-004	1	1	1
	73768	Panel, Access, Bottom, Heat Trim		S1-063-94769-000	1	1	1
	79834	Hood, Rain Flue, Heat Trim		S1-363-93686-700	2	2	2
	74286	Hood, Rain Flue, Heat Trim		S1-073-05378-000	2	2	2
	8904	Screen, 4.000" x 3.888", Heat Trim		S1-026-31421-000	2	2	2

\*. Order as Special Order Item from Source 1

**GAS HEAT ONLY**

Item No.	See Figure	Description	ID	Part Number	Voltage		
					208/230	460	575
	8996	Screen, 20.000" x 6.000", Heat Trim		S1-026-34563-000	1	1	1
	75326	Hood, Furnace Panel, Heat Trim		S1-073-16451-000	1	1	1

**DISCONNECT**

**NO DISCONNECT**

		Plate, Cover		<b>S1-073-16462-002</b>	1	1	1
--	--	--------------	--	-------------------------	---	---	---

**WITH DISCONNECT**

		Breaker, 3 Pole, 110 Amp., 240V		<b>S1-024-34566-000</b>	1	-	-
		Circuit Breaker, 50 Amp., 480V		S1-024-26063-000	-	1	-
		Circuit Breaker, 40 Amp., 600V		S1-024-27652-000	-	-	1
		Cover, Switch, Plastic		S1-025-32675-000	1	4	1
		Bracket, Mounting		S1-073-25796-000	1	1	1
		Plate, Cover		S1-073-16462-001	1	1	1
		Latch, Z		S1-073-16446-000	1	1	1

**PHASE MONITOR**

		Phase Monitor, 0-600V		S1-031-01922-000	1	1	1
--	--	-----------------------	--	------------------	---	---	---

**CONVENIENCE OUTLET**

**NONE**

		Cover Plate, Outlet		S1-073-22964-000	1	1	1
--	--	---------------------	--	------------------	---	---	---

**NON-POWERED**

		Outlet, Convenience, 20 Amp., 125V		S1-025-31987-000	1	1	1
		Cover, Switch, Plastic		S1-025-32675-000	1	1	1
		Switch, Toggle, DPST, 30 Amp., 600V		S1-024-26065-000	1	1	1
		Latch, Z		S1-073-16446-000	1	1	1

**POWERED**

		Transformer, 3KVA, 208/230-120V		S1-025-32672-240	1	-	-
		Transformer, 3KVA, 240/480-120/240V		S1-025-32762-000	-	1	-
		Transformer, 3KVA, 600-120/240V		S1-025-30383-000	-	-	1
		Fuseholder, #1, 30 Amp., 600V Max., 1 Pole		S1-025-17407-000	2	2	2
		Fuse, Time Delay, 30 Amp., 600V, Class CC		S1-025-32733-001	2	2	2
		Circuit Breaker, 1 Pole, 20 Amp., 250V		S1-024-27517-000	1	1	1
		Outlet, Convenience, 20 Amp., 125V		S1-025-31987-000	1	1	1
		Cover, Switch, Plastic		S1-025-32675-000	1	1	1
		Switch, Toggle, DPST, 30 Amp., 600V		S1-024-26065-000	1	1	1

**POWERED (CONTINUED)**

Item No.	See Figure	Description	ID	Part Number	Voltage		
					208/230	460	575
		Bushing, Snap		S1-025-10209-000	1	1	1
		Latch, Z		S1-073-16446-000	1	1	1

**FILTER****2"**

		Filter, Air, 2 x 16 x 20		S1-026-03617-000	4	4	4
		Filter, Air, 2 x 16 x 25		S1-026-03616-000	4	4	4

**4"**

		Filter, Pleated, 16 x 20 x 4		S1-026-38029-000	4	4	4
		Filter, Pleated, 16 x 25 x 4		S1-026-38030-000	4	4	4

**COMMON PARTS**

		Post, Corner, Power Disconnect		S1-073-15997-006	1	1	1
		Post, Frame, Outer		S1-073-25821-001	4	4	4
		Panel, Corner, Front		S1-373-06317-230	1	1	1
		Panel, Access		S1-373-06317-181	1	1	1
		Plate, Latch		S1-073-01920-000	7	7	7

**SMOKE DETECTOR****NONE**

		Wire, Harness, Jumper		S1-025-35366-009	1	1	1
--	--	-----------------------	--	------------------	---	---	---

**SUPPLY AIR**

		Smoke Detector Kit, SA		S1-029-24403-000	1	1	1
--	--	------------------------	--	------------------	---	---	---

**RETURN AIR-NO ECONOMIZER**

		Smoke Detector Kit		S1-029-24405-000	1	1	1
--	--	--------------------	--	------------------	---	---	---

**RETURN AIR-WITH ECONOMIZER**

		Smoke Detector Kit		S1-029-24404-000	1	1	1
--	--	--------------------	--	------------------	---	---	---

**DIRTY FILTER SWITCH**

		Switch, Pressure Diff.		S1-024-32007-000	1	1	1
--	--	------------------------	--	------------------	---	---	---

**CONTROLS****CPC**

		Control, CPC, 810-3060		S1-031-01940-000	1	1	1
		Sensor, Temperature, CPC		S1-031-01945-000	2	2	2
		Switch, Pressure Diff.		S1-024-32007-000	2	2	2
		Transformer, .075KVA, 208/230-24V, 50/60 Hz		S1-025-25973-700	1	-	-
		Transformer, .075KVA, 460PRI-24V, 50/60 Hz		S1-025-25974-700	-	1	-
		Transformer, 575V/24V, 75 Amp., 50/60 Hz		S1-025-27729-700	-	-	1
		Capacitor, 100uF, 50WVDC		S1-031-01956-000	1	1	1
		Relay, SS, DC Control		S1-024-32008-000	1	1	1

**CPC**

Item No.	See Figure	Description	ID	Part Number	Voltage		
					208/230	460	575
		Circuit Breaker, 1 Pole, 3.2 Amp., 250V		S1-024-34532-000	1	1	1
		Pressure, Tap		S1-023-16881-000	1	1	1
		Bushing, Snap		S1-025-10209-000	2	2	2
		Strain Relief, Round		S1-025-09080-000	2	2	2
		Bracket, Sensor		S1-063-87678-000	2	2	2

**JCI**

		Control, Johnson Unit 1126		S1-031-01937-000	1	1	1
		Sensor, Temperature, JCI		S1-031-01946-000	2	2	2
		Switch, Pressure Diff.		S1-024-32007-000	2	2	2
		Transformer, .075KVA, 208/230-24V, 50/60 Hz		S1-025-25973-700	1	-	-
		Transformer, .075KVA, 460PRI-24V, 50/60 Hz		S1-025-25974-700	-	1	-
		Transformer, 575V/24V, 75 Amp., 50/60 Hz		S1-025-27729-700	-	-	1
		Capacitor, 100uF, 50WVDC		S1-031-01956-000	1	1	1
		Relay, SS, AC Control		S1-024-32027-000	1	1	1
		Circuit Breaker, 1 Pole, 3.2 Amp., 250V		S1-024-34532-000	1	1	1
		Pressure, Tap		S1-023-16881-000	1	1	1
		Bushing, Snap		S1-025-10209-000	2	2	2
		Strain Relief, Round		S1-025-09080-000	2	2	2
		Screw, #10-16 X .5 HXWSH		S1-021-17305-000	6	6	6
		Bracket, Sensor		S1-063-87678-000	2	2	2

**HONEYWELL**

		Control, Honeywell, W7750		S1-031-01938-000	1	1	1
		Sensor, Temperature, 20K Ohm		S1-031-01943-000	2	2	2
		Switch, Pressure Diff.		S1-024-32007-000	2	2	2
		Transformer, .075KVA, 208/230-24V, 50/60 Hz		S1-025-25973-700	1	-	-
		Transformer, .075KVA, 460PRI-24V, 50/60 Hz		S1-025-25974-700	-	1	-
		Transformer, 575V/24V, 75 Amp., 50/60 Hz		S1-025-27729-700	-	-	1
		Capacitor, 100uF, 50WVDC		S1-031-01956-000	1	1	1
		Relay, SS, DC Control		S1-024-32008-000	1	1	1
		Circuit Breaker, 1 Pole, 3.2 Amp., 250V		S1-024-34532-000	1	1	1
		Pressure, Tap		S1-023-16881-000	1	1	1
		Strain Relief, Round		S1-025-09080-000	2	2	2
		Bracket, Sensor		S1-063-87678-000	2	2	2
		Control, Isolation Relay		S1-031-01941-000	1	1	1

**NOVAR**

		Control, Novar, ETC-3		S1-031-01939-000	1	1	1
		Sensor, Temperature, Novar		S1-031-01944-000	2	2	2
		Switch, Pressure Diff.		S1-024-32007-000	2	2	2

**NOVAR (CONTINUED)**

Item No.	See Figure	Description	ID	Part Number	Voltage		
					208/230	460	575
		Transformer, .075KVA, 208/230-24V, 50/60 Hz		S1-025-25973-700	1	-	-
		Transformer, .075KVA, 460PRI-24V, 50/60 Hz		S1-025-25974-700	-	1	-
		Transformer, 575V/24V, 75 Amp., 50/60 Hz		S1-025-27729-700	-	-	1
		Capacitor, 100uF, 50WVDC		S1-031-01956-000	1	1	1
		Relay, SS, DC Control		S1-024-32008-000	1	1	1
		Circuit Breaker, 1 Pole, 3.2 Amp., 250V		S1-024-34532-000	1	1	1
		Pressure, Tap		S1-023-16881-000	1	1	1
		Bushing, Snap		S1-025-10209-000	2	2	2
		Strain Relief, Round		S1-025-09080-000	2	2	2
		Screw, #10-16 X .5 HXWSH		S1-021-17305-000	6	6	6
		Bracket, Sensor		S1-063-87678-000	2	2	2

**INTELLI-COMFORT**

		Control, Intelli-Comfort		S1-031-09125-000	1	1	1
		Sensor, Temperature, 10K Ohm		S1-031-09130-000	3	3	3
		Bracket, Sensor		S1-063-87678-000	2	2	2

**NO ECONOMIZER**

		Panel, Access		S1-363-94829-031	1	1	1
		Panel, Damper		S1-363-94829-032	1	1	1
		Hood, Damper		S1-373-02274-701	1	1	1
		Cover, Return Air		S1-073-14842-001	1	1	1
		Harness, Wire, S7-P12-P17-P18		S1-025-37487-002	1	1	1
		Harness, Wire, S12 Jumper		S1-025-37487-005	1	1	1

**ECONOMIZER**

**WITH BAROMETRIC RELIEF**

		Kit, Economizer, 20T, Std.		S1-029-22250-000	1	1	1
		Panel, Access		S1-373-06317-210	1	1	1
		Cover, Return Air		S1-073-14842-001	1	1	1
		Control, Enthalpy		S1-031-00863-000	1	1	1
		Fresh Air Hood (1EH0403)		S1-029-21163-000	1	1	1
		Harness, Wire, S7-P12-P17-P18		S1-025-37487-002	1	1	1

**WITH POWER EXHAUST**

		Kit, Economizer, 20T, Std.		S1-029-22250-000	1	1	1
		Panel, Access		S1-373-06317-210	1	1	1
		Deck, Fan		S1-073-01888-000	1	1	1
		Support, Fan		S1-026-25563-000	1	1	1
		Fan, Prop, 24" Dia., 4 Bl, 32 Deg.		S1-026-25558-000	1	1	1
		Support, Fan Deck		S1-073-01887-000	2	2	2
		Panel, Duct, Air		S1-073-01886-000	2	2	2
		Motor, .75HP, 3 Speed, 230V, CCW EOS, 1050 Rpm		S1-024-24104-000	1	-	-
		Motor, .75HP, 3 Speed, 460V, CCW EOS, 1075 Rpm		S1-024-24131-700	-	1	-

**WITH POWER EXHAUST (CONTINUED)**

Item No.	See Figure	Description	ID	Part Number	Voltage		
					208/230	460	575
		Motor, .75HP, 3 Speed, 575V, CCW EOS, 1050 Rpm		S1-024-24104-001	-	-	1
		Capacitor, Run, 12.5/ MFD, 370V		S1-024-21219-700	1	-	1
		Control, Enthalpy		S1-031-00863-000	1	1	1
		Bracket, Mounting, Baffle		S1-073-01883-000	2	1	2
		Plate, Baffle, Air		S1-073-01908-000	1	1	1
		Fresh Air Hood		1EH0403	1	1	1

**MOTORIZED DAMPER**

		Kit, Motorized Damper		S1-029-22252-000	1	1	1
		Panel, Access		S1-373-06317-210	1	1	1
		Cover, Return Air		S1-073-14842-001	1	1	1
		Fresh Air Hood		1EH0403	1	1	1

**COIL GUARD**

**NONE**

		Support, Roof, 20-25T		S1-073-22678-000	1	1	1
--	--	-----------------------	--	------------------	---	---	---

**WITH**

		Coil Guard, 20-25T		S1-026-31432-702	1	1	1
--	--	--------------------	--	------------------	---	---	---





